

TekTone®

COMMUNICATIONS FOR TODAY ... AND TOMORROW.



Tek-CARE® 400
nurse call system



Tek-CARE® 400

Nurse Call System

TekTone's premium nurse call system, the Tek-CARE®400 P5, is programmable to meet the needs and goals of your facility. The system has a clean contemporary look, and is designed to be both staff- and patient-friendly.

P5 patient stations include one or two DIN jacks, and dummy plugs are not required. Staff, duty and multipurpose stations are also available, along with a resident pull-cord station, a resident check-in station with pull-cord and call button, and a vandal-resistant/psychiatric staff station.




All P5 stations provide crystal-clear communication using full-duplex audio. Up to eight peripheral devices and two corridor lights can be connected to each P5 remote station. Plus, all P5 stations are interchangeable, with simplified wiring that uses CAT5 or better cable and plug-in connectors. No separate power cables!




P5 duty stations provide corridor light indication plus hands-free communication to the nurse master station from remote areas, such as utility rooms, examination rooms, and kitchen. The duty station's four colored LEDs use programmable flash rates to show resident or patient calls, while its call tones are the same pleasant tones of the master station.



The stylish P5 corridor lights have four multicolor LEDs that can be individually programmed to display one color, or to alternate between two colors. Add decorative dome light sconces for a homey touch.





The Tek-CARE400 P5 system's NC402TS master has a 10" color LCD touchscreen, and can display calls from the entire facility. The master includes a built-in keyboard with water-resistant rubber overlay for creating custom pages, and a membrane keypad for the most commonly used functions. Its small footprint increases the space available at the nurses' station.



The Tek-CARE400 P5 system integrates with a variety of ancillary systems. Apple TVs with HDTVs display calls in a large format that's visible from a distance. The Tek-CARE Mobile App enables iPhone, iPad and iPod touch devices (plus any paired smartwatches) to display calls on the go, with selectable tone, vibrate, or flash notifications. Each device displays all calls in its assigned zones from all connected systems at once.



Tek-CARE Reporting software monitors the nurse call system, providing detailed reports on all system activity, from any computer on the facility's network—or sync activity databases from multiple nurse call systems and create combined reports on all of a company's facilities. Email output software can automatically send nurse call system notifications to staff email addresses, adding another means of communication.

With the ADT Interface software using the HL7 Standard, the nurse master station displays the resident's or patient's name and other information when a call is placed. By adding integration with the facility's real-time location system, the nurse call system automatically registers staff presence and clears routine calls.

The Tek-CARE400 P5 nurse call system is UL® 1069 Listed and cUL® listed to CSA C22.2 No. 125.



Tek-CARE® 400 P5 Components



auxiliary
master station



Tek-CARE® Appliance Server with
Tek-CARE® Reporting Software



master station
with touchscreen



patient station,
single or dual
DIN jacks



staff station with
emergency call
button



duty station



multipurpose
station



check-in
station



vandal-resistant
stations



emergency & code switches



staff presence
station



corridor light with 4 programmable-color LEDs,
decorative sconce, and optional vandal-resistant dome cover
(plug-on zone light module also available)



Tek-CARE400 P5 equipment is warranted to be free from defects of material and workmanship under normal use and service for five years from date of delivery (except for paging equipment, call cords, pillow speakers, the Tek-CARE Appliance Server, and refurbished equipment, which have a one-year warranty). See www.tektone.com/warranty.pdf for details.



call cords &
pillow speakers



pager

Your TekTone® Dealer



TekTone's quality system is registered by UL® to the ISO 9001 standard. (Reference #10001510.)
324 Industrial Park Road • Franklin, NC 28734 • tektone@tektone.net
Phone: 800.327.8466 or 828.524.9967 • Sales: option 2 • Tech Support: option 3
www.tektone.com

